


3S International Corp., Limited

www.3s-cabinet.com





Optional handles





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)



Color/Finish: Chrome

Model No.:3SW2007BN07

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 3.1inch Spout height: 1.9inch Spout reach: 4.9inch

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

3. NSF 61-9

2. CSA B125.1

Features

4. IAPMO/cUPC Listed

Model No.:3SW2012BN10

2. 1/2" Male NPS supply connections3. 1/4 Turn ceramic disc cartridge

1. Solid brass construction

4. Limited lifetime warranty5. Overall height: 4.3inchSpout height: 3.3inch

Spout reach: 3.9inch

Codes/Standards

1. ASME A112.18.1

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)



Color/Finish: Chrome



Color/Finish: Oil Rubbed Bronze




•your best supplier of Furniture



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)



- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 7.9inch Spout height: 5.3inch Spout reach: 4.7inch

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



Color/Finish: Chrome



Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Model No.:3SW2020BN08

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 5.7inch Spout height: 3.3inch Spout reach: 6.6inch

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)



Color/Finish: Chrome



Color/Finish: Oil Rubbed Bronze



•your best supplier of Furniture



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW3013BN

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 10.2inch Spout height: 6.3inch Spout reach: 6.9inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



Color/Finish: Chrome



Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW2018C08

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 8.8inch Spout height: 5.8inch Spout reach: 7.3inch

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



Color/Finish: Original Brass





Model No.:3SW2031OB

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 5.7inch Spout height: 3.9inch Spout reach: 4.7inch

Technical Information

- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)


Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)







Color/Finish: Brushed Nickel



Color/Finish: Oil Rubbed Bronze





Model No.:3SW2014BN10

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 4.3inch Spout height: 3.4inch Spout reach: 3.9inch

Technical Information

- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)







Color/Finish: Oil Rubbed Bronze



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)


Model No.:3SW2021BN10

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 6.3inch Spout height: 2.6inch Spout reach: 5.1inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW2033RB06

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 5.9inch Spout height: 3.5inch Spout reach: 7.3inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW3011BN


Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 5.2inch Spout height: 2.7inch Spout reach: 5.4inch Three hoses installation

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze



•your best supplier of Furniture



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW3012BN

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 4.9inch Spout height: 4.0inch Spout reach: 3.9inch

Three hoses installation(optional)

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed





Color/Finish: Chrome

Color/Finish: Oil Rubbed Bronze



your best supplier of Furniture



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW6006C


Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 7.1inch Spout height: 3inch Spout reach: 5.5inch

Codes/Standards

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze



•your best supplier of Furniture



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW6010C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 8inch Spout height: 3.8inch Spout reach: 5.3inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



Color/Finish: Brushed Nickel



Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW3012BN

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 7.1inch Spout height: 4.9inch Spout reach: 8.1inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed



- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)


Model No.:3SW7017C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 7.1inch Spout height: 4.9inch Spout reach: 8.1inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)


Model No.:3SW6008C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 15.7inch Spout height: 7.7inch Spout reach: 8.8inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)


Model No.:3SW6009C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 15.7inch Spout height: 7.7inch Spout reach: 6.8inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)


Model No.:3SW7009C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 16inch Spout height: 9inch Spout reach: 8.5inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze





- 1. Stainless steel braided hot and cold supply hoses
- 2. 1/2" Male NPS supply connections
- 3. Water-saving aerator:
- 2.2 gallons (8.3L) per minute max @ 60 psi (4Kg/sq.cm)

Available Colors and Finish

- 1. Chrome (C)
- 2. Original Brass (OB)
- 3. Brushed Nickel (BN)
- 4. Oil Rubbed Bronze (RB)

Model No.:3SW7008C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 17.2inch Spout height: 9.7inch Spout reach: 8.3inch

- 1. ASME A112.18.1
- 2. CSA B125.1
- 3. NSF 61-9
- 4. IAPMO/cUPC Listed







Color/Finish: Oil Rubbed Bronze







Model No.:3SW7012C

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 6.2inch Spout height: 5.7inch Spout reach: 9.4inch

Model No.:3SW7012aC

Features

- 1. Solid brass construction
- 2. 1/2" Male NPS supply connections
- 3. 1/4 Turn ceramic disc cartridge
- 4. Limited lifetime warranty
- 5. Overall height: 6.3inch Spout height: 5.7inch Spout reach: 9.4inch



Model No.:3SW7019C



Model No.:3SW8205



Model No.:3SW8206



Model No.:3SW6205C



Model No.:3SW8208



Model No.:3SW8212



THANK YOU FOR YOUR TIME!

Address: 1511 Royal Park Tower, NO. 18 Wu Yi Middle Road, Fuzhou, Fujian, China

Tel: 0086-591-87609030 Fax: 0086-591-87603639

E-mail: sales@3s-cabinet.com Website: www.3s-cabinet.com

